

BATHROOM BRITE product line

SHOWER FOAM

SELF-FOAMING, MINT-SCENTED Glass, Porcelain, Tub & Tile, Soap Scum and Water Stain Remover

Appearance Blue Liquid
Odor Mint
pH (1% Sol) 3.5
Solubility Complete




Biodegradable

Manufactured to
ISO 9002
Specifications

NFPA 704 Hazard Rating:

4=Extreme, 3=High, 2=Moderate
1=Slight, 0=Minimal



Rating for this product:

Health 2 Hazardous
Fire 0 Will Not Burn
Reactivity ... 0 Stable

EMERGENCY: (800) 535-5053
24 Hour MSDS Information

Other Useful Products:

PRODUCT NAME	PROD CODE
E-San 335 Lemon quaternary disinfectant/sanitizer	B3300
Fresh All enzyme cleaner & deodorizer	B2506
Mildew Remover mold & mildew remover	B3400

DESCRIPTION

- SHOWER FOAM works to remove soap scum, body oils, scale, rust, lime and mineral deposits from glass, shower doors, mirrors, toilets, aluminum, fiberglass, tile ceramic, porcelain, grout, Plexiglas, Formica, chrome, stainless steel or most any hard surface.
- SHOWER FOAM also brightens stainless steel and aluminum. It's formulated to cling to vertical surfaces and is inhibited, so it will not attack chrome or other metallic surfaces. It is safe on porcelain and carpeting, too.
- SHOWER FOAM also descales pipes, boats, pressure washers, steam cleaners, spray nozzles, trays, steam tables, coffee urns, drinking fountains, glassware and plastic.
- At low concentrations, it neutralizes caustic residues and removes carbon and iron stains.
- SHOWER FOAM works in hard or soft and hot or cold water. It's nonfuming and has a pleasant mint fragrance. And it's **biodegradable** too.

DIRECTIONS

DO NOT MIX WITH AMMONIA OR BLEACH

Sinks, Bathtubs, Shower Stalls, Drinking Fountains and Ceramic Tile Floors: Use rubber gloves. Dilute 1 part SHOWER FOAM with 20 parts of water. Apply with a sprayer or foam gun. Allow 2 - 3 minutes contact time. For heavy buildup scrub with a mild abrasive pad or brush. Rinse well with clear water. Repeat if necessary. Wipe dry.

Brightening Stainless Steel and Aluminum: Use rubber gloves. Dilute 1 part SHOWER FOAM with 5 parts of water. Apply with a sprayer or foam gun. Allow 2 - 3 minutes contact time. For heavy buildup scrub with a mild abrasive pad or brush. Rinse well with clear water. Repeat if necessary. Wipe dry.

DIRECTIONS

Toilet Bowls and Urinals: Remove water by forcing it over the trap with a plunger or by pouring 2 gallons of water in the bowl. Saturate a swab mop with SHOWER FOAM and wet all surfaces thoroughly, making sure to get under the rim. Allow 2 - 3 minutes contact time. For heavy buildup, scrub with a mild abrasive pad or brush. Rinse well with clear water. Repeat if necessary.

WEEKLY SHOWER MAINTENANCE

It's simple to have great-looking showers when cleaning is systematic and consistent.

Weekly use of E-SAN 335 LEMON or E-SAN 335 PINE removes body oils, mold and mildew while SHOWER FOAM dissolves accumulated hard water scale and soap scum.

By following the steps detailed in this technical data sheet, you can avoid using harsh acids and machine scrubbing that comes with complete shower renovation.

DANGER

Causes severe burns - May be fatal if swallowed. Contains phosphoric acid. Avoid contact with skin, eyes, mucous membranes or clothing. When handling wear goggles or face shield and rubber or plastic gloves. When making solution, add product slowly to water.

EMERGENCY FIRST AID PROCEDURES

EYES: Flush with water for 20 minutes then seek medical attention. Washing eyes within one minute is essential to minimizing eye damage.

SKIN: Flood with water for 15 minutes, then wash with vinegar. Remove contaminated clothing and footwear and wash before reusing. Seek medical attention.

INGESTION: DO NOT induce vomiting. Give large quantities of water or milk. If vomiting occurs, keep airways clear and give fluids again. Seek medical attention.

INHALATION: Move person to fresh air and away from exposure. If breathing is difficult, seek medical attention.

KEEP OUT OF REACH OF CHILDREN

EXSL

FORMULAS THAT MEET THE CHALLENGE

janitorial • restaurant • laundry • auto • industrial
HAYWARD, CA 94544 • 510-324-4567

MATERIAL SAFETY DATA SHEET

EMERGENCY: (800) 535-5053

Product Name: Shower Foam

Product Code: B0300

Proper Shipping Name: Compounds, cleaning liquid (contains phosphoric acid, sulfamic acid and dodecylbenzenesulfonic acid, 8, NA1760, PG II, E.R.G. #154

Manufactured by: EXSL/Ultra Labs, Inc.

Effective Date: 7/12/01

Supersedes: 2/28/98

HAZARDOUS INGREDIENTS

	CAS#	PCNT%	TWA	STEL	SARA III	PROP 65	Carcinogen
Phosphoric Acid	7664-38-2	5.25	1 mg/m ³	3 mg/m ³	1%	No	No
Hydroxyacetic Acid	79-14-1	4.90	None	None	No	No	No
Sulfamic Acid	5329-14-6	4.00	None	None	No	No	No
Ethylene Glycol Monobutyl Ether	111-76-2	5.00	1 mg/m ³	None	No	No	No
Dodecylbenzene Sulfonic Acid	27176-87-0	2.00	None	None	No	No	No

PHYSICAL DATA

Boiling Point: 250° F

Specific Gravity: 1.063

Appearance & Odor: Blue Liquid, Mint Odor

pH: (1% Sol) 3.5

Evaporation Rate: Not Avail.

Reactivity in Water: None

Viscosity: Not App.

Solubility: Complete

Melting Point: Not App.

Vapor Pressure: Not Avail.

Vapor Density: Not Avail.

Volatiles: None

FIRE & EXPLOSION DATA

Health:..... 2 ... Hazardous

Fire:..... 0 ... Will Not Burn

Reactivity:..... 0 ... Stable

Extinguishing Media:..... This product is not combustible. Use water spray, foam, carbon dioxide, or dry chemical.

Fire & Explosion Hazard:.... May generate hydrogen gas in contact with some metals.

Conditions to Avoid:..... Open flames, welding arcs or other high temperature sources that induce thermal decomposition, which produce toxic fumes.

NFPA 704 Hazard Rating

4 = Extreme, 3 = High, 2 = Moderate

1 = Slight, 0 = Minimal

Flash Point: None (Cleveland Open Cup)

Flammability Levels (LEL/UEL): Not Avail.

REACTIVITY DATA

Materials to Avoid: Strong alkalis, oxidizers, ammonia, and bleach

Stability: Stable

Hazardous Decomposition Products: None

Hazardous Polymerization: Will not occur

HEALTH HAZARDS

Eye Contact:..... Causes severe burns. Prolonged and repeated contact can cause blindness.

Skin Contact:..... Causes severe burns and is destructive to tissue.

Ingestion:..... Can cause severe burns and complete tissue perforation of mucous membranes of the mouth, throat, esophagus and stomach.

Inhalation:..... Spray or mist can be irritating to the upper respiratory tract.

FIRST AID

Eyes:..... Flush out immediately for at least 20 minutes with running water and seek medical attention. Washing eyes within one minute is essential to minimizing eye damage. Hold eyelids apart to ensure flushing of the entire surface.

Skin:..... Immediately wash with plenty of water for at least 15 minutes. Remove contaminated clothing and footwear and wash before reusing. Seek medical attention.

Ingestion:.... Never give anything to an unconscious person. If swallowed, do not induce vomiting. Give large quantities of water or milk. If vomiting occurs, keep airways clear. Seek medical attention.

Inhalation:... Move person to fresh air and away from exposure. If breathing is difficult, administer oxygen and seek medical attention. Give artificial respiration if victim is not breathing. **Do not** use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

SPILL OR LEAK PROCEDURES

Steps to Contain:

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leaks if you can do it without risk. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (rubber boots and gloves). Contain spills with dry earth, sand or other non-combustible material and transfer to containers. Sweep up powder spills and transfer to containers. **DO NOT GET WATER INSIDE CONTAINERS.**

Recommended Waste Disposal Method:

The materials resulting from the clean up may be hazardous waste and, therefore, subject to specific regulations. Package, store, transport, and dispose all clean-up materials and any contaminated equipment in accordance with all applicable federal, state, and local health environmental regulations. Shipments of waste materials are subject to manifesting requirements per applicable regulations. Ensure that all responsible federal, state, and local agencies receive proper notification of spills and disposal methods.

SPECIAL PROTECTION & PRECAUTIONS

Respiratory:..... None under normal use conditions.

Eye:..... Goggles or face shield.

Storage:..... Keep in a cool, dry place.

Clothing:..... Recommend wearing rubber or polymer gloves.

Comments:... Use adequate local exhaust ventilation.

Handling:..... Do not stack or palletize over three high.

USER'S RESPONSIBILITY

It is the user's responsibility to provide a safe workplace. He or she should consider the health hazard and safety information contained herein as a guide and take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment.

The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.

EXSL/Ultra Labs, Inc.

FORMULAS THAT MEET THE CHALLENGE

janitorial · restaurant · laundry · auto · industrial

Hayward, CA

(510) 324-4567