

BATHROOM BRITE product line

VIVA

NON-ACID PORCELAIN TILE & SHOWER DOOR CLEANER


Appearance Green Liquid
Odor Herbal
pH (concentrate) 12.0
Solubility Complete



Biodegradable

Manufactured to
ISO 9002
Specifications

NFPA 704 Hazard Rating:
4=Extreme, 3=High, 2=Moderate
1=Slight, 0=Minimal



Rating for this product:

Health 1 Slight
Fire 0 Will Not Burn
Reactivity ... 0 Stable

EMERGENCY: (800) 535-5053
24 Hour MSDS Information

Other Useful Products:

	PROD CODE
Advantage	B3301
thick, acid chrome & bowl cleaner	
Shower Foam	B0300
soap scum & water stain remover	
E-San 335 Lemon	B3300
quaternary disinfectant/sanitizer	

D E S C R I P T I O N D I R E C T I O N S

- VIVA removes scale, lime, mineral and soap scum deposits in one easy step.
- Use it on glass, ceramic tile, chrome, porcelain and enamel. It restores conductive floors, too.
- VIVA is safe on all surfaces not harmed by water. It contains no caustic alkali, acids or other corrosive chemicals. It's free-rinsing, has a pleasant fragrance and is biodegradable, too.
- Add it to your rinse water and dull, discolored, dingy, and lifeless floors are no more.
- VIVA is ideal for hotels, motels, transportation depots, schools, hospitals, apartments, offices, retail stores and industrial facilities.

To Eliminate Buildup and Dull Floors:
Mix 8 ounces of VIVA in your rinse water. Apply with a mop and let stand for 15 minutes. Scrub lightly with a brush, mop up and rinse with clear water. This will keep iron, magnesium, calcium and other minerals (normally present in water) soluble and suspended for easy pick up without danger of redeposition.

Toilet Bowls and Urinals:
Remove water by forcing it over the trap with a plunger or by pouring 2 gallons of water in the bowl. Saturate the swab with VIVA and wet all surfaces thoroughly making sure to get under the rim. Allow 2 - 3 minutes contact time. For heavy buildup, scrub with a mild abrasive pad or brush. Rinse well with clear water. Repeat if necessary.

DAILY SHOWER MAINTENANCE

It's simple to have great-looking showers when cleaning is systematic and consistent.

Weekly use of E-SAN 335 LEMON or E-SAN 335 PINE removes body oils, mold and mildew while daily VIVA dissolves accumulated hard water scale and soap scum.

By following the steps detailed in this technical data sheet, you can avoid using harsh acids and machine scrubbing that comes with complete shower renovation.

D I R E C T I O N S

Cleaning Lavatories, Sinks, Bathtubs, Drinking Fountains, Wash Basins and Shower Stalls:

Use as is. With a trigger sprayer apply from 6 to 8 inches from the surface, working from the bottom up. Let stand for 15 minutes. Scour gently with a brush or stainless steel sponge. Rinse with clear water. Spray again lightly and let it remain on surface. This will eliminate future buildup.

Removing Alkali and Soap Scum from Terrazzo, Marble, Terra-cotta, Magnesite and Concrete:

Mix one part VIVA with four parts water. Apply with a mop and let stand for 15 minutes. Scrub lightly with a brush, mop up and rinse with clear water.

C A U T I O N

EYE IRRITANT - Avoid contact with skin and eyes.

FIRST AID

EYES: Flush with water for 20 minutes. Seek medical attention.

SKIN: Flood with water for 15 minutes.

INGESTION: Induce vomiting. Give large quantities of water. If vomiting occurs, keep airways clear and give fluids again. Seek medical attention.

KEEP OUT OF REACH OF CHILDREN

EXSL

FORMULAS THAT MEET THE CHALLENGE

janitorial•restaurant•laundry•auto•industrial
HAYWARD, CA 94544 • 510-324-4567

MATERIAL SAFETY DATA SHEET

EMERGENCY: (800) 535-5053

Product Name: Viva
Product Code: B3303
Proper Shipping Name: Not applicable. This is a non-regulated material.

Manufactured by: EXSL/Ultra Labs, Inc.
Effective Date: 7/12/01
Supersedes: 3/10/98

HAZARDOUS INGREDIENTS

	CAS#	PCNT%	TWA	STEL	SARA III	PROP 65	Carcinogen
None							

PHYSICAL DATA

Boiling Point: 210° F
Specific Gravity: 1.089
Appearance & Odor: Green Liquid, Herbal Odor

pH: (Conc.) 12.0
Evaporation Rate: 1
Reactivity in Water: None

Viscosity: 10 cps
Solubility: Complete
Melting Point: Not App.

Vapor Pressure: Not Avail.
Vapor Density: Not Avail.
Volatiles: @ 220° F: 91%

FIRE & EXPLOSION DATA

Health:..... 1 ... Slight
Fire:..... 0 ... Will Not Burn
Reactivity:..... 0 ... Stable

NFPA 704 Hazard Rating
4 = Extreme, 3 = High, 2 = Moderate
1 = Slight, 0 = Minimal

Flash Point: None (Cleveland Open Cup)
Flammability Levels (LEL/UEL): Not Avail.

Extinguishing Media:..... This product is not combustible. Use water spray, foam, carbon dioxide, or dry chemical.

Fire & Explosion Hazard:... None.

Conditions to Avoid:..... Open flames, welding arcs or other high temperature sources that induce thermal decomposition, which produce toxic fumes.

REACTIVITY DATA

Materials to Avoid: None.
Stability: Stable

Hazardous Decomposition Products: None
Hazardous Polymerization: Will not occur

HEALTH HAZARDS

Eye Contact:..... Causes moderate to severe irritation. Prolonged and repeated contact can cause redness and tearing.

Skin Contact:..... May cause dryness with prolonged contact.

Ingestion:..... Can cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Inhalation:..... Spray or mist can be irritating to the upper respiratory tract.

FIRST AID

Eyes:..... Flush out immediately for at least 20 minutes with running water and seek medical attention. Washing eyes within one minute is essential to minimizing eye damage. Hold eyelids apart to ensure flushing of the entire surface.

Skin:..... Wash with water. If irritation persists, seek medical attention.

Ingestion:..... Never give anything to an unconscious person. If swallowed, induce vomiting. Give large quantities of water or milk. If vomiting occurs, keep airways clear. Seek medical attention.

Inhalation:... Move person to fresh air and away from exposure. If breathing is difficult, administer oxygen and seek medical attention. Give artificial respiration if victim is not breathing.

SPILL OR LEAK PROCEDURES

Steps to Contain:

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leaks if you can do it without risk. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (rubber boots and gloves). Contain spills with dry earth, sand or other non-combustible material and transfer to containers. Sweep up powder spills and transfer to containers. DO NOT GET WATER INSIDE CONTAINERS.

Recommended Waste Disposal Method:

The materials resulting from the clean up may be hazardous waste and, therefore, subject to specific regulations. Package, store, transport, and dispose all clean-up materials and any contaminated equipment in accordance with all applicable federal, state, and local health environmental regulations. Shipments of waste materials are subject to manifesting requirements per applicable regulations. Ensure that all responsible federal, state, and local agencies receive proper notification of spills and disposal methods.

SPECIAL PROTECTION & PRECAUTIONS

Respiratory:.... None under normal use conditions.

Eye:..... None under normal use conditions.

Storage:..... Keep in a cool, dry place.

Clothing:..... None under normal use conditions.

Comments: ... None under normal use conditions.

Handling:..... Do not stack or palletize over three high.

USER'S RESPONSIBILITY

It is the user's responsibility to provide a safe workplace. He or she should consider the health hazard and safety information contained herein as a guide and take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment.

The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.

EXSL/Ultra Labs, Inc.

FORMULAS THAT MEET THE CHALLENGE

janitorial · restaurant · laundry · auto · industrial

Hayward, CA
(510) 324-4567